

PS1372 TRE | Test Plot Snapshot

83 plot entries across Kansas, Nebraska, Iowa and Oklahoma • 2024–2026 results

AVERAGE YIELD

176.0 bu/A

Across all 83 entries

AVERAGE PLOT YIELD

179.6 bu/A

Same plot locations

AVERAGE OF PLOT MEAN

99.0%


Unweighted average

ABOVE PLOT AVERAGE

36 of 83

Individual entries

Performance by year



Straightforward takeaways

- Averaged 176.0 bu/A across 83 entries.
- Finished at 99.0% of plot mean overall.
- Top reported yield was 276.72 bu/A at Junction City, KS in 2025.
- 2025 was the strongest year relative to plot mean at 100.0%.
- Northwest KS and Southwest KS were the strongest regions.

2026 Year-to-Date Results

Six individual Kansas entries reported through September 25, 2026

Location	Environment	Yield	Plot Avg.	% Mean	Rank	Moisture
Augusta, KS	Dryland	194.50	197.80	98.3%	29	13.6%
Hartford, KS	Dryland	179.90	181.57	99.1%	7	12.1%
Minneapolis, KS	Dryland	179.20	176.30	101.6%	6	27.7%
Minneapolis, KS	Dryland	175.04	184.71	94.8%	9	25.88%
Geuda Springs, KS	Dryland	166.60	169.60	98.2%	11	11.6%
Oxford, KS	Dryland	162.00	160.32	101.0%	9	15.1%

2026 SUMMARY


176.2 bu/A

98.8% of mean

Top entry
194.5 bu/A
Augusta, KS

Regional Performance & Environment Fit

Relative performance is shown as average percentage of plot mean • Entry counts vary by region



DRYLAND

100.4% of plot mean

49 entries • 142.3 bu/A average yield

IRRIGATED

96.9% of plot mean

34 entries • 224.6 bu/A average yield

Best-fit takeaway

Strongest relative fit was in dryland results and in western Kansas. Irrigation delivered much higher absolute yield, but lower performance versus plot mean.